

PPE = Apron, Surgical Mask, Eye protection (if required) and Gloves

Donning and doffing PPE in the correct manner will reduce your risk

Putting your PPE On (Donning)

Step 1: Apron

Pull over head and fasten at the back

Step 2: Surgical Mask

- Secure ties at middle of head and neck
- Fit flexible band to nose bridge
- Fit snug to face and below chin

Step 3: Eye protection

· Place over head and eyes and adjust to fit

Step 4: Gloves

- · Select according to hand size
- Pull on










Taking your PPE off (Doffing)

Step 1: Gloves

- · Pinch opposite glove between palm and wrist
- Pull inside out over fingers
- · Pinch remaining glove between palm and wrist
- Pull inside out
- Remove each glove carefully only touching insides of gloves
- Discard into appropriate bin



Step 2: Apron

- Unfasten or break free
- Pull away from neck and shoulder touching inside only
- Fold and place in appropriate bin



Step 3: Eye protection

- · Handle only sides or head band
- · Discard into appropriate bin

Step 4: Surgical mask

- Unfasten top and bottom
- Pull away from face without touching the front of the mask
- · Place in appropriate bin



Step 5: Perform hand hygiene immediately following removal

Step 6: Ensure PPE is removed before exiting clinical area

WORK SAFE BE SAFE



Ensure clinical area is appropriately decontaminated/ cleaned prior to removing your **PPE**



Home visits

If you are visiting a patient at home then please take a home visit PPE kit

Home visit PPE Kit

- Apron
- Surgical Mask
- Eye protection
- Gloves
- 2x plastic waste bags
- Alcohol wipes
- Alcohol gel
- Ensure hands are clean prior to entering house (use alcohol gel)
- Find a sensible space (e.g. the hallway) prior to entering room with patient to don PPE
- If equipment required (keep to minimum) and take this into the room with you
- Once you have finished seeing the patient use alcohol wipes to clean any equipment used and place wipes into first plastic waste bag
- Doff your PPE at the exit to the room, carefully placing PPE items into the first plastic waste bag
- · Tie this bag and place in a second waste bag and tie.
- · Perform hand hygiene (alcohol gel) immediately after removing PPE
- Collect any cleaned items of equipment
- Take waste away with you and dispose of in clinical waste appropriately at the surgery